

Buhl S., Russwurm B., Bulitta C.

Mikrobiologische Belastung von nicht steril zur Anwendung kommenden Medizinprodukten im OP –
Methoden und erste Ergebnisse

Jahrestagung der Deutschen Gesellschaft für Chirurgie 2015

Bulitta C.

Aufbereitung – nicht nur ein Thema für Instrumente
WUEMEK Tagung 2015

Guggenbichler JP., Bulitta C.

Keimfreie Oberflächen zur Verhinderung nosokomialer Infektionen
WUEMEK Tagung 2015

Schönauer P., Bulitta C., Ekolind P.

Um die Ecke denken: Eine neue OP-Lüftung aus Schweden - Oragon
WUEMEK Tagung 2015

Bulitta, C., Magerl, F., Hartwich, R.; Russwurm, B.

CFD analysis of a high-tech operating room using Star-CCM+.

In: Magazine DYNAMICS from CD-adapco / Issue 38, pages 22 to 25, 2015

Bulitta, C., Magerl, F., Hartwich, R., Russwurm, B.:

Strömungstechnische Analyse eines High-Tech-Operationssaales mit Star-CCM+
Forschungsbericht 2015 des Technologie-Campus der OTH Amberg-Weiden, S. 152-156

Bulitta, C., Magerl, F., Buhl, S., Russwurm, B.:

Hygiene und Medizintechnik: Patientensicherheit durch technische Hygiene im OP
Forschungsbericht 2015 des Technologie-Campus der OTH Amberg-Weiden, S. 158-161

Bulitta, C., Magerl, F., Buhl, S., Russwurm, B.:

Innovatives Lüftungskonzept für den OP
mt medizintechnik 1/2015, S. 24-30

Buhl S., Russwurm B., Bulitta C

Methods and first results of assessment of microbiologic burden of non sterile-used medical devices
BMT Jahrestagung 2014

Russwurm B., Buhl S., Bulitta C

The Hybrid OR: Example for challenges and requirements of hygiene in medical engineering
BMT Jahrestagung 2014

Buhl S., Russwurm B., Bulitta C

Methoden und erste Ergebnisse der mikrobiologischen Belastung von nicht steril zur Anwendung kommenden Medizinprodukten im OP
Jahrestagung CURAC September 2014

*Russwurm B., Buhl S., Magerl F. **Bulitta C.***

Hygiene Und Medizintechnik: Herausforderungen im Hybrid-OP und der computerunterstützten Chirurgie

Jahrestagung CURAC September 2014

Bulitta CJ

Building the hybrid operating room: Best results on time and on budget
International Charing Cross Symposium 2014

Bulitta C, Clausdorff L

Hybrid - Operationssaal mit Angiographie - System (Planungshilfe)
1. Auflage 2013, ISBN 978-3-00-044160-B

Clausdorff L, Bulitta C

Hybrid Theaters - Technical Design and Technology: From Planning to Reality
In Panvascular Medicine, Lanzer, Peter (Ed.), ISBN 978-3-642-37079-3, 2014

Bulitta C

Der Hybrid-OP: Gibt es bereits einen Standard?
mt medizintechnik 1/2013

Bulitta CJ

Building the Hybrid OR: Workflow leads Technology
International Charing Cross Symposium 2013

Bulitta CJ

Imaging meets Surgery – The Hybrid OR
BMT Jahrestagung 2012

Bulitta CJ

Hygiene im Hybrid OP – besondere Anforderungen an das bildgebende System
WUEMEK Kongress für Medizintechnologien im Krankenhaus 2012

Bulitta CJ.

Imaging meets Surgery - The Hybrid OR.
Biomed Tech (Berl). 2012 Aug 31. pii: /j/bmte.2012.57.issue-s1-1/bmt-2012-4041/bmt-2012-4041.xml.
doi: 10.1515/bmt-2012-4041.

Georg Nollert, Thomas Hartkens, Anne Figel, Clemens Bulitta, Franziska Altenbeck and Vanessa Gerhard

The Hybrid Operating Room

In Special Topics in Cardiac Surgery, ISBN: 978-953-51-0148-2, 2011

Schlichting S, Pöhls S, Strähle M, Franz F, **Bulitta C**

Concept for integrating medical devices in the OR using web services,
BMT Jahrestagung 2010.

VDE-Studie: „Risikomanagement für IT-Netzwerke mit Medizinprodukten im Operationssaal“, ISBN 978-3-925512-17-9, VDE, Frankfurt, 2010 **Mitarbeit und Beiträge aus dem Forschungsvorhaben SOMIT-FUSION**

Ibach B, Zimolong A, Bulitta C, Radermacher K

Concept of a service-oriented integration architecture for the orthopaedic operating theatre,
CARS International 2008,

Bulitta C, Siebold H

Wirtschaftliche Bedeutung der modellgestützten Therapie aus der Sicht der Industrie

In: Modellgestützte Therapie

Ausgabe 13, 2008

Herausgeber: W. Niederlag (Dresden), H. U. Lemke (Berlin),
J. Meixensberger (Leipzig), M. Baumann (Dresden)

Bulitta C

Geschäftsprozessmanagement bei Siemens Medical Solutions, Geschäftsgebiet AX

In: Geschäftsprozessmanagement in der Praxis: Kunden zufrieden stellen - Produktivität steigern - Wert erhöhen

Herausgeber: Hermann J. Schmelzer, Wolfgang Sesselmann, Carl Hanser Verlag GmbH & Co. KG, 2005

Bermann A, Bulitta C

The Potential of an Integrated Cardiology Solution –

An Analysis of the Financial and Qualitative Benefits

Electromedica, 2003, 71 no. 1 11-19

Holzner A, Bulitta C

Potential Benefits of an Integrated OR System –

An Efficient Solution for the Operating Room?

electromedica, 2002, 70 no. 1, S. 17-20.

Bulitta C

Consulting Services:

Identification, Assessment, and Deployment
of the Most Effective and Efficient Workflow

electromedica, 2002, 70 no. 1, S 5-11

Bermann A, Wetekam V, Glietz C, Bulitta C

Assessing Potential Benefits of

Information Technology in Healthcare

Electromedica, 2002, 70 no. 1 S. 12-16

Bulitta C, Kühnhoff M, Engelhardt M

Workflow-orientiertes Bauen. Zukunftsfähige Konzeption der Notaufnahme und Ambulanz Krankenhausumschau, 2002, 71(1), 20.

*Raychowdhury R, Fleming JV, McLaughlin JT, **Bulitta CJ**, Wang TC*

Identification and characterization of a third gastrin response element (GAS-RE3) in the human histidine decarboxylase gene promoter.

Biochem Biophys Res Commun. 2002 Oct 11;297(5):1089-95.

***Bulitta CJ**, Fleming JV, Raychowdhury R, Taupin D, Rosenberg I, Wang TC.*

Autoinduction of the trefoil factor 2 (TFF2) promoter requires an upstream cis-acting element.
Biochem Biophys Res Commun. 2002 Apr 26;293(1):366-74.

*Kock HJ, **Bulitta C**, Sievers KW, Rudofsky G, Schmit-Neuerburg KP, Letsch R.*

[Mechanical stimulation of venous blood flow in below-the-knee plaster cast]
Zentralbl Chir. 2001 Aug;126(8):616-20. German.

*Pistorius SR, Kruppa C, Haas S, Plaschke J, Kruger S, **Bulitta CJ**, Nagel M, Saeger HD, Schackert HK.*
Clinical consequences of molecular diagnosis in families with mismatch repair gene germline mutations.
Int J Colorectal Dis. 2000 Nov;15(5-6):255-63.

*Hengstler JG, Bauer A, Wolf HK, **Bulitta CJ**, Tanner B, Oesch F, Gebhard S, Boettger T*

Mutation analysis of the cationic trypsinogen gene in patients with pancreatic cancer.

Anticancer Res. 2000 Sep-Oct;20(5A):2967-74.

*Koh TJ, **Bulitta CJ**, Fleming JV, Dockray GJ, Varro A, Wang TC*

Gastrin is a target of the beta-catenin/TCF-4 growth-signaling pathway in a model of intestinal polyposis.

J Clin Invest. 2000 Aug;106(4):533-9.

*Koh TJ, **Bulitta CJ**, Flemming JV, Dockray GJ, Varro A, Wang TC*

Gastrin is a downstream target of the β-catenin TCF-4 signaling pathway which mediates growth in the APC^{MIN/-} model of intestinal polyposis

Gastroenterology Vol 118(4) Suppl. A437 2000

*Flemming JV, Sussmann JS, Colucci R, **Bulitta CJ**, Wang TC*

Gastrin preferentially stabilizes L-histidine decarboxylase (HDC) isoforms that have been processed at both the amino- and carboxy-terminal ends

Gastroenterology Vol 118(4) Suppl. A547 2000

***Bulitta CJ**, Raychowdhury R, Taupin D, Wang TC*

TFF2 and PMA induced TFF2 regulation requires a specific cis-acting element: insights into molecular initiation of restitution

Gastroenterology Vol 118(4) Suppl. A675 2000

*Plaschke J, **Bulitta C**, Saeger HD, Schackert HK*

Quantitative differences between aberrant transcripts which occur as common isoforms and due to mutation-based exon skipping of the mismatch repair gene hMLH1.

Clin Chem Lab Med. 1999 Sep;37(9):883-7.

*Steinberg P, Fischer T, Kiulies S, Biefang K, Platt KL, Oesch F, Bottger T, **Bulitta C**, Kempf P, Hengstler J.*

Drug metabolizing capacity of cryopreserved human, rat, and mouse liver parenchymal cells in suspension.

Drug Metab Dispos. 1999 Dec;27(12):1415-22.

*Windoffer R, Borchert-Stuhltrager M, Haass NK, Thomas S, Hergt M, **Bulitta CJ**, Leube RE*

Tissue expression of the vesicle protein pantophysin.

Cell Tissue Res. 1999 Jun;296(3):499-510.

Bulitta C, Engelmann R, Rüschoff J, Plaschke J, Schackert HK, Junginger Th

Importance of exact history in identifying patients with possible hereditary forms of colorectal cancers
Journal of Cancer research and Clinical Oncology Vol 124 Suppl. S34 1998

Bulitta C, Engelmann R, Rüschoff J, Kruppa C, Schackert HK, Junginger Th

Auswirkung der Bethesda-Kriterien auf die Erfassung von Patienten mit colorectalem Carcinom im eigenen Krankengut

Langenbecks Archives of Surgery Suppl. 10/98

Bulitta, C, Weigel TF, Engelmann R, Junginger Th

Clinical impact of microsatellite instability (MIN) in liver metastases of colorectal cancer

Bulitta, C., Weigel, T.F., Engelmann, R., Junginger, Th.

Journal of Cancer Research and Clinical Oncology Vol 124 Suppl. R124 1998

Bulitta C, Kock HJ, Hanke J, Sievers KW, Schmit-Neuerburg KP.

[Promoting venous return in plaster cast by AV impulse system. A preclinical study]

Unfallchirurgie. 1996 Aug;22(4):145-52. German.

Bulitta C, Kock, HJ, Sievers, KM, Rudofsky R, Schmitt-Neuerburg KP

Increase in venous blood flow caused by 2 different physical methods for the prevention of thrombosis in below knee plaster casts

Langenbecks Arch. (S2):1202, 1996

Bulitta C, Ganea C, Fahimi HD, Völkl A.

Cytoplasmic and peroxisomal catalases of the guinea pig liver: evidence for two distinct proteins.

Biochim Biophys Acta. 1996 Mar 7;1293(1):55-62.

Pinteric M, Baumgart E, Bulitta C, Völkl A

Analysis of different catalase-cDNAs for guinea pig liver: Evidence for internal sequence differences with conservation of the C-terminus

Eur. J. Cell Biol. Supplement 40 Vol. 63, 1994

Bulitta C, Ganea C, Völkl A

Cytosolic and peroxisomal catalase of the guinea pig liver are distinct proteins

Eur. J. Cell Biol. Supplement 37 Vol. 60, 1993